DOORMAN
German Technology

www.doormansystem.ae

DOORMAN SERIES SSL 120

SUSPENDED PANORAMIC FLOOR-TO-CEILING WINDOW SERIES 4.0MM

Safer, stronger bearing capacity, waterproof, sealed, and more aesthetically pleasing

SPOT COLOR

INNER COLOUR




Galaxy Gray | Pearl Black | Mill Finished

OUTER COLOUR



Galaxy Gray | Metallic Coffee | Mill Finished

DIMENSIONS (WxH)	AREA	MATERIAL
2600x2300	5.98m^2	6kg/m^2




F120-F1

Name: Top track
thickness2.0mm
weight:1.48kg/m




F120-03

Name: Outer frame edge stop
thickness2.0mm
weight:0.28kg/m




F120-F2X

Name: Bottom track
thickness2.0mm
weight:1.8kg/m




F120-F3

Name: Vertical outer frame
thickness2.0mm
weight:1.37kg/m




F120-F4

Name: Horizonal top/bottom frame & Full hidden light
thickness3.0mm
weight:0.87kg/m




F120-36

Name: Reinforced Latching Stile
thickness3.0mm
weight:1.39kg/m




F120-64

Name: Lower Base
thickness3.0mm
weight:0.5kg/m




F120-XF4

Name: Horizonal bottom frame
thickness3.0mm
weight:1.51kg/m



180-17


Name: Insert
thickness2.0mm
weight:0.13kg/m



F120-F5


Name: Vertical frame
thickness2.0mm
weight:1.78kg/m

Can be equipped with a password fingerprint lock or a key lock



F120-F5A


Name: Vertical frame with one handle
thickness2.0mm
weight:1.48kg/m



F120-F6


Name: Mesh vertical frame
thickness2.0mm
weight:1.67kg/m

Can be equipped with a password fingerprint lock or a key lock



F120-21

Name: Vertical suppor
thickness4.0mm
weight:1.6kg/m



F120-22

Name: Vertical support glazing bead
thickness3.0mm
weight:0.22kg/m



F120-14


Name: Outer frame glazing bead
thickness1.2mm
weight:0.28kg/m



No Wavy Patterns on the Surface

F120-15


Name: Sliding position outer frame cover plate
thickness1.5mm
weight:0.18kg/m



No Wavy Patterns on the Surface


F120-46

Name: Fixed position outer frame cover plate
thickness1.2mm
weight:0.2kg/m




F120-10

Name: Horizonal bottom frame covered
thickness1.5mm
weight:0.25kg/m




F120-11

Name: Horizonal bottom frame covered
thickness1.5mm
weight:0.11kg/m




F120-83

Name: Fixed Glass Base
thickness2.0mm
weight:0.6kg/m




F120-18

Name: Sink covered support part
thickness1.6mm
weight:0.1kg/m




F120-F7

Name: Automatic two panels horizonal top track
thickness2.5mm
weight:4.11kg/m




F120-44

Name: Motor window accessories
thickness1.2mm
weight:0.49kg/m




F120-45

Name: Motor window sash connector
thickness1.2mm
weight:0.54kg/m




F120-F8

Name: Large double openable vertical sealing frame
thickness2.0mm
weight:2.0kg/m




F120-24

Name: Ultra-slim end cap vertical Frame
thickness2.0mm
weight:1.16kg/m




F120-26

Name: No-corner vertical support
thickness2.0mm
weight:1.16kg/m



F120-54

Name: Edged end cap
thickness2.0mm
weight:1.47kg/m



120-75

Name: Movable Position Rail Pedal
thickness1.6mm
weight:0.72kg/m

ASSEMBLY DRAWING

screen

ASSEMBLY DRAWING

screen

SSL 120 SERIES

SUSPENDED PANORAMIC DOOR SERIES 3.0MM

Safer, stronger bearing capacity, waterproof, sealed, and more aesthetically pleasing

SPOT COLOR

INNER COLOUR

Galaxy Gray | Pearl Black | Mill Finished


OUTER COLOUR

Galaxy Gray | Pearl Black | Mill Finished

TRACK	DIMENSIONS (WxH)	AREA	MATERIAL
two-track	2400x2000	4.8m²	8kg/m²
three-track	2400x2000	4.8m²	12kg/m²


PRODUCT CHARACTERISTICS

1. Linear sloped high-low track design
2. Intelligent electric opening
3. Sash edges can incorporate screens
4. Double-row stainless steel pulleys
5. Custom multi-track configurations




F120-F9

Name: Top track
thickness2.0mm
weight:1.6kg/m




F120-XS01

Name: Bottom track
thickness2.0mm
weight:2.45kg/m




F120-59

Name: Bottom track step plate
thickness3.0mm
weight:0.24kg/m




F120-64

Name: Horizonal bottom frame base for roller
thickness3.0mm
weight:0.5kg/m




F120-60

Name: Horizonal bottom frame covered
thickness2.0mm
weight:0.12kg/m




F120-XF4

Name: Horizonal bottom frame
thickness3.0mm
weight:1.51kg/m



F120-F11

Name: Vertical outer frame
thickness2.0mm
weight:1.4kg/m




F120-F7

Name: Automatic two panels horizonal top track
thickness2.5mm
weight:4.11kg/m




F120-45

Name: Motor window sash connector
thickness1.2mm
weight:0.54kg/m




F120-43

Name: Motor door accessories
thickness1.2mm
weight:0.51kg/m




F120-F12

Name: Three panels horizonal top track
thickness2.0mm
weight:1.95kg/m




F120-F13

Name: Three panels vertical outer frame
thickness2.0mm
weight:1.95kg/m




F120-XS02

Name: Three panels horizonal bottom track
thickness2.0mm
weight:3.55kg/m




F120-F4


Name: Horizonal top/bottom frame & Full hidden light
thickness3.0mm
weight:0.87kg/m




180-17
Name: Bottom Insert
thickness2.0mm
weight:0.132kg/m




F120-36
Name: Vertical interlock frame
thickness3.0mm
weight:1.39kg/m




F120-F5
Name: Vertical frame
thickness2.0mm
weight:1.78kg/m
Can be equipped with a password fingerprint lock or a key lock



F120-F5A
Name: Vertical frame with one handle
thickness2.0mm
weight:1.48kg/m



F120-F6
Name: Mesh vertical frame
thickness2.0mm
weight:1.67kg/m
Can be equipped with a password fingerprint lock or a key lock




F120-37
Name: Vertical interlock frame
thickness3.0mm
weight:0.95kg/m

F120-38
Name: Double vertical interlock frame
thickness3.0mm
weight:1.06kg/m


F120-18
Name: Sink covered support part
thickness1.6mm
weight:0.1kg/m




F120-17
Name: Sink cover
thickness:2.0mm
weight:0.56kg/m



180-21
Name: Sink
thickness2.0mm
weight:0.764kg/m




F120-F8
Name: Large double openable vertical sealing frame
thickness2.0mm
weight:2.0kg/m




F120-24
Name: Very narrow closure
thickness2.0mm
weight:1.16kg/m



F120-39
Name: Edge Seal Cover Plate
thickness1.1mm
weight:0.289kg/m




F120-40
Name: Mesh base
thickness1.1mm
weight:0.41kg/m




YLF150-23
Name: Very narrow set of wires
thickness2.0mm
weight:0.75kg/m




F120-03
Name: Electric upper rail flange
thickness2.0mm
weight:0.28kg/m




F120-26
Name: No Corner Column
thickness2.0mm
weight:1.16kg/m




F120-F16
Name: Below the Low Rail
thickness2.0mm
weight:1.24kg/m




F120-66
Name: Low Rail
thickness2.0mm
weight:0.82kg/m




F120-65
Name: Base Below the Marble / Marble Underside Base
thickness3.0mm
weight:0.59kg/m




F120-61
Name: Marble Cover Plate / Marble Cover
thickness2.0mm
weight:0.18kg/m



F120-62
Name: Marble Cover Plate / Marble Cover
thickness2.0mm
weight:0.36kg/m




F120-08
Name: Lock Base
thickness1.2mm
weight:0.39kg/m




F120-54
Name: Edged Trim
thickness2.0mm
weight:1.47kg/m


F120-66A
Name: Waterproof low rail
thickness2.0mm
weight:1.85kg/m




F120-69
Name:6.0 Vertical interlock frame
thickness6.0mm
weight:2.63kg/m



F120-F5H
Name:4.0 Vertical interlock frame
thickness4.0mm
weight:3.2kg/m




F120-47
Name: The square in the middle of the gauze fan
thickness2.0mm
weight:0.4kg/m




150-73

Name: Optional stainless steel mesh/high-transparency mesh
thickness2.5mm
weight:0.41kg/m




150-74

Name: Yarn pressure cover
thickness0.8mm
weight:0.1kg/m




F120-59A

Name: One Fixed and One Movable Cover Plate
thickness1.2mm
weight:0.35kg/m




F120-59C

Name: Vertical frame with one handle
thickness2.0mm
weight:0.43kg/m



F120-M01

Name: Glass Opening Transition Strip
thickness1.4mm
weight:0.29kg/m




F120-F14V

Name: Waterproof Triple Lower Rail
thickness2.0mm
weight:2.61kg/m


F120-71

Name: Mesh Vertical Frame
thickness3.0mm
weight:1.95kg/m




F120-72

Name: Mesh vertical interlock frame
thickness3.0mm
weight:1.42kg/m




F120-73

Name: Mesh Horizonal top frame
thickness:3.0mm
weight:1.04kg/m




F120-74

Name: Mesh Horizonal bottom frame
thickness3.0mm
weight:1.67kg/m



F120-76

Name: Large double openable vertical sealing frame
thickness2.0mm
weight:0.25kg/m



T120-32

Name: Triple Lower Rails
thickness2.0mm
weight:1.61kg/m

Either Diamond Mesh or High-Transparency Mesh is Acceptable

ASSEMBLY DRAWING

Water Retaining Rail Solution

128 wheels (with 12 wheels)

Low Track Plan

Aluminum Alloy Track Plan

Marble/Porcelain Tile/Wood Flooring Track Plan

ASSEMBLY DRAWING

ASSEMBLY DRAWING