
DOORMAN
German Technology

THE 5TH GENERATION SSL SERIES

150 PANORAMIC WINDOWS

MORE SAFER, MORE STRONGER, MORE WATERPROOF, MORE SEALED, MORE AESTHETICALLY PLEASING.



+971 50 565 1047,
+971 50 565 1083

doormansystem.ae

info@bmtsautomaticdoors.com

THE 5TH GENERATION SSL SERIES
150 PANORAMIC WINDOWS

MORE SAFER, MORE STRONGER, MORE WATERPROOF, MORE SEALED, MORE AESTHETICALLY PLEASING.



SPOT COLOR


INNER COLOUR	galactic grey	pearl black	mill finished
OUTER COLOUR	galactic grey	pearl black	mill finished

DIMENSIONS (WxH)	AREA	MATERIAL
2000x3000	6m²	10.5kg/m²


THE 5TH GENERATION SSL SERIES
150 PANORAMIC WINDOWS

PRODUCT CHARACTERISTICS


1. The lower interspersed with the plug-in connection, more secure
2. The upper rail adopts linear design, more beautiful, waterproof and sealed
3. The bottom of the track using vertical slope drainage, drainage is more smooth, no water left
4. National patent double row double flying wings stainless steel wheel, single fan bearing up to 1800kg
5. Aluminum alloy track, marble track, low orbit configuration, suitable for any scene




150-401
Name: Linear rail
thickness2.0mm
weight:3.18kg/m




150-402
Name: Bottom track
thickness2.0mm
weight:2.83kg/m




150-403
Name: Bottom of rail
thickness2.0mm
weight:2.6kg/m




150-404
Name: Horizonal bottom frame
thickness3.0mm
weight:1.53kg/m




150-405
Name: Horizonal top frar
thickness3.0mm
weight:1.57kg/m




150-406
Name: Vertical frame with fingerprint key
thickness3.0mm
weight:2.5kg/m




150-407
Name: Vertical frame with one handle
thickness3.0mm
weight:2.15kg/m




150-107
Name: Bottom plugin
thickness5.0mm
weight:0.64kg/m




150-108
Name: Marble Bottom plugin
thickness5.0mm
weight:0.79kg/m




150-410
Name: Automatic two panels horizonal top track
thickness3.0mm
weight:6.65kg/m



150-105
Name: Automatic two panels horizonal top track assistancetion
thickness2.0mm
weight:1.13kg/m




150-106
Name: Motor door connecting piece
thickness5.0mm
weight:0.64kg/m



Infinite component

150-411


Name: Line 3 on rail
thickness2.0mm
weight:4.87kg/m



Infinite component

150-412


Name: Three panels horizonal bottom track
thickness2.0mm
weight:4.34kg/m



Infinite component


150-413

Name:3 bottom of rail
thickness2.0mm
weight:3.75kg/m




150-414

Name: Three linkage electromechanical tracks
thickness3.5mm
weight:8.955kg/m




150-111

Name: Three linkage electromechanical accessories
thickness2.0mm
weight:0.59kg/m




150-408

Name: Single handle closure
thickness3.0mm
weight:2.51kg/m




150-409

Name: Double handles close the mouth
thickness2.0mm
weight:3.18kg/m




150-100

Name: Very narrow band edge closing
thickness4.0mm
weight:2.46kg/m




150-101

Name: Narrow closure
thickness4.0mm
weight:1.95kg/m




150-XA1

Name: Vertical outer frame
thickness2.0mm
weight:2.74kg/m




150-SG3

Name: Three panels vertical outer frame
thickness2.0mm
weight:4.57kg/m



150-47


Name: Vertical interlock frame with handle
thickness8.0mm
weight:2.4kg/m



Height over 5 meters above recommended use

150-78


Name: Vertical interlock frame with ultrahigh material
thickness6.0mm
weight:3.88kg/m



150-06


Name: Vertical frame with fixed glass
thickness4.0mm
weight:0.83kg/m

THE 5TH GENERATION SSL SERIES 150 PANORAMIC WINDOWS




150-59

Name: Vertical interlock frame
thickness8.0mm
weight:1.91kg/m




YLF150-C8

Name:90 degree corner vertical sealing frame
thickness3.0mm
weight:2.2kg/m



YLF150-23

Name:4 mm invisible cable
thickness2.0mm
weight:0.75kg/m




150-21

Name: Sink
thickness2.0mm
weight:0.84kg/m




150-20

Name: Sink sill
thickness2.0mm
weight:0.73kg/m




L10*15

Name: Sink covered support part
thickness2.0mm
weight:0.12kg/m



150-13

Name: Vertical & horizonal top frame covered
thickness1.2mm
weight:0.27kg/m




150-10

Name: Horizonal bottom frame covered
thickness1.6mm
weight:0.15kg/m



150-24


Name: Horizonal bottom frame middle covered (For door)
thickness1.6mm
weight:0.3kg/m



Special for marble

150-27


Name: Horizonal bottom frame covered
thickness1.6mm
weight:0.41kg/m



Special for marble


150-26

Name: Horizonal bottom frame covered
thickness1.6mm
weight:0.18kg/m



180-17


Name: Lower insert
thickness2.0mm
weight:0.132kg/m



150-25


Name: Fixed glass sill (for windows)
thickness1.6mm
weight:0.62kg/m

ASSEMBLY DRAWING



THE 5TH GENERATION SSL SERIES 150 PANORAMIC WINDOWS


ASSEMBLY DRAWING




THE 5TH GENERATION SSL SERIES 150 PANORAMIC WINDOWS


ASSEMBLY DRAWING


Linear rail motor solution (unlimited linkage)



Can be any number of tracks







SSL SERIES 150
PANORAMIC SLIDING DOOR 8.0MM SERIES

MORE SAFER, MORE STRONGER, MORE WATERPROOF, MORE SEALED, MORE AESTHETICALLY PLEASING.

SPOT COLOR


INNER COLOUR	galactic grey	pearl black	mill finished
OUTER COLOUR	galactic grey	pearl black	mill finished

DIMENSIONS (WxH)	AREA	MATERIAL
2000x2400	4.8m^2	10.5kg/m^2


SSL SERIES 150 PANORAMIC SLIDING DOOR 8.0MM SERIES

PRODUCT CHARACTERISTICS


1. Linear track design, more beautiful, wind and waterproof
2. Frame package fan structure, using automotive grade rubber strip seal, better sealing, enhance sound insulation performance
3. Double row custom stainless steel pulley, single fan bearing capacity up to 1000kg
4. Can realize electric intelligent opening, more convenient
5. The outer frame and fan use AB surface universal design, the material is more saving, the workmanship is simpler




150-XA1
Name: Vertical outer frame
thickness2.0mm
weight:2.74kg/m




YLF150-A2
Name: Top track
thickness2.0mm
weight:2.9kg/m




YLF150-A3
Name: Bottom track
thickness3.0mm
weight:3.8kg/m




150-SG3
Name: Three panels vertical outer frame
thickness2.0mm
weight:4.57kg/m




150-SG1
Name: Three panels horizonal top track
thickness2.0mm
weight:4.57kg/m




150-SG2
Name: Three panels horizonal bottom track
thickness3.0mm
weight:6.1kg/m




150-16
Name: Automatic two panels horizonal top track assistance
thickness3.0mm
weight:1.59kg/m




150-A4B
Name: Automatic two panels horizonal top track
thickness4.0mm
weight:6.1kg/m



YLF150-C5
Name: Vertical frame with handle
thickness5.0mm
weight:2.58kg/m




150-C5M
Name: Vertical frame with fingerprint key
thickness5.0mm
weight:2.88kg/m




Special for loading gauze

150-C10
Name: Vertical frame with one handle
thickness5.0mm
weight:2.1kg/m




150-06
Name: Vertical frame with fixed glass
thickness4.0mm
weight:0.83kg/m


SSL SERIES 150 PANORAMIC SLIDING DOOR 8.0MM SERIES



150-05
Name: Vertical interlock frame with handle
thickness4.0mm
weight:1.64kg/m




150-47
Name: Vertical interlock frame with handle
thickness8.0mm
weight:2.4kg/m




Height over 5 meters above recommended use


150-78
Name: Vertical interlock frame with ultrahigh material
thickness6.0mm
weight:3.88kg/m




150-90
Name: Horizonal top frame
thickness3.0mm
weight:1.07kg/m




150-08
Name: Horizonal bottom frame
thickness4.0mm
weight:1.22kg/m




150-59
Name: Vertical interlock frame
thickness8.0mm
weight:1.91kg/m




150-09
Name: Horizonal bottom frame base for roller
thickness4.5mm
weight:0.95kg/m



YLF150-C7
Name: Double openable vertical sealing frame
thickness5.0mm
weight:3.1kg/m




YLF150-C8
Name:90 degree corner vertical sealing frame
thickness3.0mm
weight:2.2kg/m




150-13
Name: Vertical & horizonal top frame covered
thickness1.2mm
weight:0.27kg/m




150-20
Name: Sink sill
thickness2.0mm
weight:0.73kg/m



YLF150-23
Name:4 mm invisible cable
thickness2.0mm
weight:0.75kg/m




150-21
Name: Sink
thickness2.0mm
weight:0.84kg/m



L10*15
Name: Sink covered support part
thickness2.0mm
weight:0.12kg/m

SSL SERIES 150 PANORAMIC SLIDING DOOR 8.0MM SERIES




150-10

Name: Horizonal bottom frame covered
thickness1.6mm
weight:0.15kg/m



150-54


Name: Glass fence
thickness2.0mm
weight:0.16kg/m



45 degree Angle connection
Accessories: 150 stainless steel end cover (left and right)


150-55

Name: Glass fence
thickness2.5mm
weight:0.972kg/m




150-24

Name: Horizonal bottom frame middle covered (For door)
thickness1.6mm
weight:0.3kg/m



150-25


Name: Fixed glass sill (for windows)
thickness1.6mm
weight:0.62kg/m



Special for marble

150-27


Name: Horizonal bottom frame covered
thickness1.6mm
weight:0.41kg/m



Special for marble

150-28


Name: Horizonal bottom frame base for roller
thickness4.5mm
weight:1.16kg/m



Special for marble


150-26

Name: Horizonal bottom frame covered
thickness1.6mm
weight:0.18kg/m




150-SL01

Name: Automatic three panels horizonal top track
thickness3.5mm
weight:8.54kg/m




150-63

Name: Telescopic horizonal top panel frame assistance
thickness8.0mm
weight:0.32kg/m




150-62

Name: Three panels horizonal top track accessory
thickness2.0mm
weight:1.13kg/m




150-BM01

Name: Horizonal bottom frame with low track
thickness3.0mm
weight:1.55kg/m



150-BM02


Name: Unembedded track
thickness2.0mm
weight:2.55kg/m



150-77


Name: Upper rail mesh fastener
thickness2.0mm
weight:0.52kg/m

SSL SERIES 150 PANORAMIC SLIDING DOOR 8.0MM SERIES



150-SW01

Name: Vertical outer frame of gauze mesh
thickness2.8mm
weight:4.23kg/m




150-31


Name: Two-rail motor connector
thickness4.0mm
weight:0.95kg/m


ASSEMBLY DRAWING


Two moving assembly drawings



Two-rail motor assembly diagram







SSL SERIES 150 PANORAMIC SLIDING DOOR 8.0MM SERIES

SPOT COLOR

INNER COLOUR



galactic grey | pearl black | mill finished

OUTER COLOUR



galactic grey | pearl black | mill finished


DIMENSIONS (WxH)	AREA	MATERIAL
2000x2400	4.8m^2	10kg/m^2


PRODUCT CHARACTERISTICS


1. Linear track design, more beautiful, wind and waterproof
2. Frame package fan structure, using automotive grade rubber strip seal, better sealing, enhance sound insulation performance
3. Double row custom stainless steel pulley, single fan bearing up to 1000kg
4. Can realize electric intelligent opening, more convenient
5. Can achieve the middle fixed on both sides of the push and pull, both sides fixed in the middle of the push and pull functions

ASSEMBLY DRAWING


Panorama door with gauze assembly drawing








Panorama door with gauze assembly drawing







Vertical frame with fingerprint key

SSL SERIES 150 PANORAMIC SLIDING DOOR 8.0MM SERIES

ASSEMBLY DRAWING

Three-track assembly drawing (multiple tracks can be selected)







SSL SERIES 150
PANORAMIC SLIDING DOOR 8.0MM SERIES

ASSEMBLY DRAWING

150 panoramic doors and Windows three linkage with marble track assembly drawing






SSL SERIES 150
PANORAMIC FLOOR SLIDING WINDOW 8.0MM

MORE SAFER, MORE STRONGER, MORE WATERPROOF, MORE SEALED, MORE AESTHETICALLY PLEASING.

DIMENSIONS (WxH)	AREA	MATERIAL
2000x2400	6m^2	9.8kg/m^2


PRODUCT CHARACTERISTICS

1. Embedded linear track design, beautiful, more soundproof, more waterproof, more windproof
2. The frame is all sealed with auto-grade rubber strip, with excellent airtight performance
3. Double row custom stainless steel pulley, sliding effect is better, single fan load can reach 1000kg(single fan can not exceed 18 square), can achieve any other sliding door window can not achieve large ventilation, large landscape.
4. Can realize electric intelligent opening, face recognition, password, swipe card, fingerprint entry.
5. Can do the middle fixed on both sides push and pull, both sides fixed in the middle push and pull and other functions.




YLF150-C1

Name: Vertical outer frame
thickness2.5mm
weight:2.86kg/m




YLF150-C2

Name: Top track
thickness2.5mm
weight:3.04kg/m



YLF150-C3

Name: Bottom track
thickness3.0mm
weight:3.57kg/m




150-06

Name: Full hidden light
thickness4.0mm
weight:0.83kg/m




150-47

Name: Vertical interlock frame with handle
thickness8.0mm
weight:2.4kg/m




150-46

Name:upright
thickness8.5mm
weight:2.3kg/m



150-90

Name: Horizonal top frame
thickness3.0mm
weight:1.07kg/m



150-08


Name: Horizonal bottom frame
thickness4.0mm
weight:1.22kg/m

SSL SERIES 150 PANORAMIC FLOOR SLIDING WINDOW 8.0MM




150-09

Name: Horizonal bottom frame base for roller
thickness4.5mm
weight:0.95kg/m



YLF150-C5

Name: Vertical frame with handle
thickness5.0mm
weight:2.58kg/m



(Special for loading gauze)


150-C10

Name: Vertical frame with one handle
thickness5.0mm
weight:2.1kg/m



150-25

Name: Fixed glass sill
thickness1.6mm
weight:0.62kg/m




150-49

Name: Top rail flange
thickness3.0mm
weight:0.46kg/m




150-43

Name: Vertical & horizonal top frame covered
thickness2.0mm
weight:1.23kg/m




150-42

Name: Bottom rail glass pad
thickness3.0mm
weight:1.6kg/m




150-10

Name: Horizonal bottom frame covered
thickness1.6mm
weight:0.15kg/m




150-44

Name: Solid glass pressure line
thickness1.4mm
weight:0.134kg/m




150-45

Name: Column line
thickness9.0mm
weight:0.33kg/m




150-48

Name: Edge seal solid glass line
thickness1.5mm
weight:0.98kg/m




YLF150-C7

Name: Double openable vertical sealing frame
thickness5.0mm
weight:3.1kg/m



YLF150-C8


Name:90 degree corner vertical sealing frame
thickness3.0mm
weight:2.2kg/m



YLF150-23

Name:4 mm invisible cable
thickness2.0mm
weight:0.75kg/m


SSL SERIES 150 PANORAMIC FLOOR SLIDING WINDOW 8.0MM



(Both sides are fixed special columns for the middle push and pull)

150-C9

Name: Reverse side seal post
thickness3.0mm
weight:3.63kg/m



(Both sides fixed in the middle push and pull special)


YLF150-22

Name: Horizonal bottom frame covered
thickness2.0mm
weight:0.52kg/m



150-54

Name: Glass fence
thickness2.0mm
weight:0.16kg/m



45 degree Angle connection
Accessories: 150 stainless steel end cover (left and right)

150-55


Name: Glass fence
thickness2.5mm
weight:0.972kg/m



Note: 150-25 can be substituted

150-115


Name: Glass threshold
thickness1.6mm
weight:0.896kg/m



Note: No Angle position is only used for solid glass on rail

150-88

Name:horizonal top frame covered
thickness1.6mm
weight:0.6kg/m




Note: No Angle position is only used for solid glass lower rail


150-89


Name: Horizonal bottom frame covered
thickness2.0mm
weight:0.169kg/m


SSL SERIES 150 PANORAMIC FLOOR SLIDING WINDOW 8.0MM


ASSEMBLY DRAWING




















SSL SERIES 150 PANORAMIC FLOOR SLIDING WINDOW 8.0MM


ASSEMBLY DRAWING

Both sides fixed middle single fan push-pull assembly diagram









Both sides fixed middle single fan push-pull assembly diagram

